

ARKEON WALL

ID 46

ARKEON WALL is designed to perfectly compliment the main ARKEON collection, to ensure specifiers a complete product portfolio to complete any design project. It features the same **minimal dimensions and aesthetic cleanliness**, but it is created specifically as a versatile wall fixture. The **numerous sizes** and range flexibility make it **perfect to illuminate** circulation spaces such as **corridors, stairwells and landings**, for any project type including commercial, hospitality, education and health care.

☑ Features

- Direct emission
- Direct/indirect emission
- UGR<22
- IP 40

💡 Led

- 3000K/4000K
- >116 lm/W
- CRI>90
- Eye safety: RG0/RG1
- Mac Adams 3
- L80/B20 >80.000h

🕒 Specifications

- Built-in driver
- Satin diffuser UGR<22 for direct emission
- Asymmetrical polycarbonate lens for indirect emission

📏 Body

- Aluminum with epoxy powder coating

🎨 Colors

- White RAL 9003 - code B
- Black RAL 9005 - code C8

🌟 Certifications

- CE Conformity
- Energy efficiency C
- 5 years warranty

⇄ Related products

- Arkeon Med (p. 314)

📦 On request


- DALI - code D*
- Emergency 1 hr - code EM
- Emergency 3 hrs - code EM3H*
- 2700K - code K27*
- 6500K - code K65*

* Where available



ARKEON WALL

Direct emission with frosted diffuser, UGR<22.



IP 40

Cod. 4000K	Led	lm	Lmm
46DR10K4	10W	1090	288
46DR20K4	20W	2180	568
46DR30K4	30W	3270	848
46DR70K4	70W	7630	1978


Cod. 3000K	Led	lm	Lmm
46DR10K3	10W	1014	288
46DR20K3	20W	2027	568
46DR30K3	30W	3041	848
46DR70K3	70W	7096	1978

ARKEON WALL DOUBLE EMISSION

Direct emission with frosted diffuser, UGR<22.
Indirect emission with asymmetric lens.



WALL
FLOOR









IP 40

Cod. 4000K	Led	lm	Lmm
46DI20K4	20W:10W+10W	2289	288
46DI40K4	40W:20W+20W	4578	568
46DI60K4	60W:30W+30W	6867	848
46DI140K4	140W:70W+70W	16023	1978

Cod. 3000K	Led	lm	Lmm
46DI20K3	20W:10W+10W	2121	288
46DI40K3	40W:20W+20W	4257	568
46DI60K3	60W:30W+30W	6386	848
46DI140K3	140W:70W+70W	14901	1978

INDUSTRIAL IP

ERGO	286	ID 02	
ERGO ESSENTIAL	289	ID 02	
LINEA IP54	292	ID 12	
PCM EVO	295	ID 03	
STILLA	297	ID 05	
GROOVE IP54	301	ID 43	
GROOVE DISPLAY IP54	304	ID 43	