

LV TRACK is suitable for all Esse-Ci 48V LV lighting fixtures. The track is available in three versions for surface, recessed and suspended applications. Each track boasts minimal dimensions for an absolutely discrete installation effect. A wide range of accessories complements each track style. Being SELV, rapid and safe coupling of luminaires is possible. Esse-Ci LV TRACK promotes optimum **flexibility and** minimalism without compromising performance.

- Low voltage tracks (up to 60V dc)
- Circuits: 2x15A + Databus circuit

\square Body

• Aluminum


Colors

- White RAL 9003 code B
- Black RAL 9011 code C8

- Next DK LV (p. 248)
- Ludo Spot (p. 255)
- Teres Micro Zoom (p. 178)
- Stylo LV (p. 263)Ludo Linear 2.0 (p. 257)
- Ludo Linear DK (p. 259)
- Ben Lv (p. 250)

⊞ On request

· Recessed frameless version



LV TRACK

Ceiling version.



IP 20



Cod.	Notes	Lmm	
15LV1M	Electrified LV TRACK	1000	
15LV2M	Electrified LV TRACK	2000	
15LV3M	Electrified LV TRACK	3000	

LV TRACK___RECESSED

Recessed version.



IP 20

Cod.	Notes	Lmm	
15LV1RM	Electrified LV TRACK	1000	
15LV2RM	Electrified LV TRACK	2000	
15LV3RM	Electrified LV TRACK	3000	



ACCESSORIES



End caps kit for

LV TRÁCK.








End caps kit for LV TRACK RECESSED. Single wire adjustable suspension kit for LV TRACK.

Spring clips for LV TRACK RECESSED.

15LV09M

15LV09RM

15LV13 1500mm **15LV1330** 3000mm 15LV17RM



ON/OFF 15AATC

 15LV15048IS
 15AB10048

 15LV25048IS
 15AB25048

DALI

15AB10048D 15AB25048D


TECHNICAL NOTES

15LV10048IS

WIRING DIAGRAM LV-TRACK FOR SWITCH DIM

Electrified 90° joint.

15LV05EL



WIRING DIAGRAM LV-TRACK FOR DALI

