

MAGIS FLOOD

ID 92

MAGIS FLOOD is a range of indoor and outdoor **IP66 luminaires designed for use in ambitious sports or large areas**. The wide range of optics, combined with the wide range of powers, makes it an extremely versatile floodlight.

☑ Features

- Direct emission
- IP 66
- IK 08
- -30°/+45°

💡 Led

- 4000K
- >125 lm/W
- CRI >80
- Eye safety: RGO/RGI
- Mac Adams 3
- L80/B10 >50.000h

🕒 Specifications

- Built-in driver
- NBE: concentrating polycarbonate lens
- WBE: diffusing polycarbonate lens
- AS: polycarbonate lens with asymmetrical emission
- HW: polycarbonate lens with intensive asymmetric emission

📦 Body

- Die cast aluminum with epoxy powder coating

🎨 Colors

- Double color: Light grey RAL 7035/Black RAL 9017
- One color: Black RAL 9017 - code BK

★ Certifications

- CE Conformity
- Energy efficiency D
- 5 years warranty

📄 On request


- DALI - code D
- 3000K - code K3*
- 5000K - code K5*

* Where available



MAGIS FLOOD MEDIUM NBE

Polycarbonate lens with narrow emission.




IP 66 IK08

Cod. 4000K	Led	lm	mm
92NBE100K4M	100W	13100	261x440
92NBE150K4M	150W	19620	261x440

MAGIS FLOOD MEDIUM AS

Polycarbonate lens with asymmetric emission.




IP 66 IK08

Cod. 4000K	Led	lm	mm
92ASI100K4M	100W	12535	261x440
92ASI150K4M	150W	18803	261x440

MAGIS FLOOD MEDIUM WBE

Polycarbonate lens with diffusing emission.




IP 66 IK08

Cod. 4000K	Led	lm	mm
92WBE100K4M	100W	13625	261x440
92WBE150K4M	150W	20438	261x440

MAGIS FLOOD MEDIUM HW

Polycarbonate lens with high Wall Washer emission.




IP 66 IK08

Cod. 4000K	Led	lm	mm
92HW100K4M	100W	12535	261x440
92HW150K4M	150W	18803	261x440

MAGIS FLOOD LARGE NBE

Polycarbonate lens with narrow emission.




IP 66 IK08



Cod. 4000K	Led	lm	mm
92NBE200K4L	200W	27200	335x600
92NBE250K4L	250W	33900	335x600
92NBE300K4L	300W	40680	335x600

MAGIS FLOOD LARGE AS

Polycarbonate lens with asymmetric emission.




IP 66 IK08



Cod. 4000K	Led	lm	mm
92AS200K4L	200W	25990	335x600
92AS250K4L	250W	32488	335x600
92AS300K4L	300W	38985	335x600

MAGIS FLOOD LARGE WBE

Polycarbonate lens with diffusing emission.




IP 66 IK08

Cod. 4000K	Led	lm	mm
92WBE200K4L	200W	28250	335x600
92WBE250K4L	250W	35313	335x600
92WBE300K4L	300W	42375	335x600

MAGIS FLOOD LARGE HW

Polycarbonate lens with high Wall Washer emission.



IP 66 IK08

Cod. 4000K	Led	lm	mm
92HW200K4L	200W	25990	335x600
92HW250K4L	250W	32488	335x600
92HW300K4L	300W	38985	335x600

ACCESSORIES



Protection grid.

92AAGPM - MEDIUM
92AAGPL - LARGE




Eyelid for glare control.

92AAVIM - MEDIUM
92AAVIL - LARGE



Wall corner bracket.

92AASP



Pole fixing kit.

92AATP