

REM is a range of **emergency fixtures with integrated driver** and batteries up to 3-hour configurations. Mounting options include **recessed installation, ceiling and for Esse-Ci three-phase track**. The luminaires are equipped with 3 different types of lens, for anti-panic lighting, escape route or with an arrow beam for high ceiling applications.

☑ Features

- Direct emission
- IP 40

💡 Led

- 6500K
- >109 lm/W
- CRI >80
- Eye safety: RG0/RG1
- Mac Adams 3
- L80/B10 >50.000h

⌚ Specifications

- Integrated driver and accumulator
- Spot/escape routes/anti-panic

☐ Body

- Polycarbonate

🎨 Colors

- White RAL 9003 - code B
- Black RAL 9005 - code C8

★ Certifications

- CE Conformity
- 5 years warranty


📦 On request

- Always ON version
- Self-test



REM TRACK

With Eutrack adaptor. 3 hours autonomy.
With S/E mode (emergency only).




IP 40

Cod. 6500K	Led	lm	Lmm
13EM2K65H3	2W	217	110x56



REM CEILING EVO

For direct ceiling mount. 3 hours autonomy.
With S/E mode (emergency only).




IP 40

Cod. 6500K	Led	lm	Lmm
13EM2K65H3CE	2W	217	123x123



REM RECESSED

For recessed mount. 3 hours autonomy.
With S/E mode (emergency only).



IP 40


Cod. 6500K	Led	lm	Ømm
13EM2K65H3R	2W	217	51




TECHNICAL NOTES

REM CONFIGURATIONS

Spot



Escape routes



Anti-panic

